

DOCUMENT RESUME

ED 431 163

CG 029 310

AUTHOR DeCarolis, Anthony; Franks, Kristin; Simonin, Danielle; Romano, Kate; Morse, Laura; Podhurst, Amit; Vassalotti, Lauren; Hufner, Pamela; Srebro, Karen; Martella, Joseph; McGee, Jen; Chambliss, Catherine

TITLE The Internet: Plague or Panacea. An Evaluation of over 1000 Behavioral Healthcare Sites.

PUB DATE 1999-00-00

NOTE 24p.

PUB TYPE Reports - Research (143)

EDRS PRICE MF01/PC01 Plus Postage.

DESCRIPTORS Behaviorism; Child Rearing; Data Analysis; *Evaluation; *Mental Disorders; Mental Health; *Mental Health Programs; Psychology; *World Wide Web

IDENTIFIERS Emotional Distress; *Health Counseling

ABSTRACT

This study provides comparative data describing the quality of 1,175 psychological sites currently available on the Internet. A rating scale was used to assess six dimensions of site quality including accuracy, practicality, normalization and sense of belonging, referral, and feedback mechanisms. One-way ANOVA on the six separate quality items and summary scores revealed significant differences in the quality of ratings across the different topic categories. These categories were parenting problems, health problems, common emotional disorders, and severe mental illnesses. Sites addressing the needs of parents and those with health-related concerns received higher ratings; sites targeting the "worried well" and those with personality disorders received the least strong endorsements. Sites addressing the needs of those affected by severe mental illnesses received moderate ratings. The prevalence of commercial motivation affecting sites targeting the worried well appears to have compromised the quality of many of the sites. Overall, the ratings suggest that the average quality of the current sites was not impressive. Appendixes are "The Explosion of Psychological Help on the Net: Electronic Behavioral Healthcare," the original and revised evaluation form used in the study, and evaluation descriptions. (Contains 1 table and 114 references.) (MKA)

* Reproductions supplied by EDRS are the best that can be made *
* from the original document. *

THE INTERNET: PLAGUE OR PANACEA

An evaluation of over 1000 behavioral healthcare sites

Anthony DeCarolis, Kristin Franks, Danielle Simonin

Kate Romano, Laura Morse, Amit Podhurst

Lauren Vassalotti, Pamela Hufner, Karen Srebro

Joseph Martella, Jen McGee, and Catherine Chambliss, Ph.D

U.S. DEPARTMENT OF EDUCATION
Office of Educational Research and Improvement
EDUCATIONAL RESOURCES INFORMATION
CENTER (ERIC)

- ☐ This document has been reproduced as received from the person or organization originating it.
- ☐ Minor changes have been made to improve reproduction quality.

- Points of view or opinions stated in this document do not necessarily represent official OERI position or policy.

Ursinus College

"PERMISSION TO REPRODUCE THIS
MATERIAL HAS BEEN GRANTED BY

C. C. CHAMBLISS

TO THE EDUCATIONAL RESOURCES
INFORMATION CENTER (ERIC)."

Abstract

The Internet offers an entirely new means of providing psychological healthcare and access to psychological information. For mental healthcare consumers who possess the necessary cognitive and computer skills, the Internet literally opens up a world of treatment possibilities previously unimaginable. For consumers who are introverted, confined to the home, or who prioritize privacy, these remote forms of treatment and sources of information are extremely attractive. Unfortunately, the absence of regulatory measures concerning the quality of these sites could result in potentially harmful effects on the consumers' well being. This study provides comparative data describing the quality of 1,175 psychological sites currently available on the Internet. A rating scale was used to assess six dimensions of site quality including accuracy, practicality, normalization, and sense of belonging, referral and feedback mechanisms.

One-way ANOVA on the six separate quality items and summary scores revealed significant differences in the quality of ratings across the different topics categories evaluated (Parenting Problems [ADHD, Tourette's Syndrome, Common Discipline Problems, Learning Disabilities, and Teenage Pregnancy], Health Problems [Eating Disorders, Chemical Dependency, HIV/AIDS, Migraine, and Smoking Cessation], Common Emotional Disorders [Anxiety

Disorders, Depression, and Post-Traumatic Stress Disorder], Severe Mental Illnesses [Schizophrenia, Bipolar Disorder, and Autism], and Personality Disorders [Borderline Personality Disorder and Antisocial Personality Disorder]). Sites addressing the needs of parents and those with health-related concerns consistently received higher ratings, and sites targeting the "worried well" and those with personality disorders consistently received the least strong endorsements. Sites addressing the needs of those affected by severe mental illnesses received moderate ratings on most of the items.

As previous studies have found (Morse, Doran, Simonin, Smith, Maloney, Wright, Underwood, Hoppel, O'Donnell & Chambliss, 1998; DiBlassio, Simonin, DeCarolus, Morse, Jean, Vassalotti, Franks & Chambliss, 1998; Doran, Smith, Edwards, Hamilton, Morse, Hoppel & Chambliss, 1998), the prevalence of commercial motivation affecting sites targeting the worried well seems to have compromised the quality of many of these sites. In comparison, the quality of information offered by sites developed to assist parents seemed to be less distorted by a marketing agenda.

Overall, the ratings suggested that the average quality of the current sites was not very impressive. The mean rating across problem topics for all site dimensions was 2.09 (s.d.=1.52, N=1175) on the 0-4 point scale, where 0=absent, 1=extremely inadequate, 2=somewhat inadequate, 3=somewhat adequate, and 4=outstanding.

Introduction

The Internet offers myriad opportunities to improve delivery of mental healthcare and enhance the lives of those affected by brain and behavioral disorders. The new electronic information technologies are fostering revolutions in how direct services are provided, and also facilitating optimal care indirectly, by keeping professionals more up-to-date and allowing larger-scale research on treatment effectiveness. In trying to improve the service delivery of providers while containing costs, many managed care companies offer long-distance educational opportunities via the Internet, with frequent updates reflecting new research findings. Use of the Internet can facilitate therapists' ability to draw upon state-of-the-art information about rarely encountered predicaments.

Innovations in direct service delivery include the development of problem-specific lists that create de facto support groups, expert-mediated Websites that offer everything from virtual milieu therapy to parenting advice and electronic individual psychotherapy with therapists a nation away. For consumers who are introverted, homebound, or for when privacy is a priority, these remote forms of treatment are extremely attractive. For those with the requisite cognitive and computer

skills and the access to appropriate equipment, the Internet literally opens up a world of treatment possibilities previously unimaginable. The result is a growing optimism among treatment professionals concerning the future possibilities for the Internet. Sampson et al., (1997) envision the future "information highway" as providing clients in remote locations with access to a variety of specialists that would otherwise be unavailable. They predict that Internet therapy will consist of a combination of counseling sessions by means of video conferencing and computer assisted instruction.

Unfortunately the use of the Internet does not only open up new possibilities; it also creates new problems. Kraut, Patterson, Landmark, Kiesler, Mukopadhyay, and Scherlis (1998) argue that this technology may inadvertently reduce social involvement and psychological well-being. Furthermore, the interaction of counselors and clients by means of electronic media presents myriad legal and ethical problems, including the obvious one of assuring confidentiality.

The American Psychological Association's Ethics Committee adopted the following statement in 1995 regarding electronically provided psychological services. "The Ethics Code is not specific with regard to telephone therapy, teleconferencing, or any electronically provided services as such, and has no rules prohibiting such services. Complaints regarding such matters are addressed on a case by case basis. The nature of the contact is an important variable, and the use of telephone for purposes such as educative information, suicide hot lines, or brief crisis contact and referral are reasonably well established. The use of telephone for the provision of regular ongoing therapy or for diagnosis is not established, nor are such services as teleconferencing, Internet, or similar methods. Standard 1.04c, Boundaries of Competence, indicates that 'In those emerging areas in which generally recognized standards for preparatory training do not yet exist, psychologists nevertheless take reasonable steps to ensure the competence of their work and to protect patients, clients, students, research participants, and others from harm.' Many of the enforceable ethical standards are, in fact, relevant to such services, and based on these standards it could be difficult for a psychologist to demonstrate that it is ethical to conduct therapy solely by telephone, teleconferencing, Internet, or similar methods...Psychologists considering such services must review the characteristics of the services and the service delivery method, and consider the relevant ethical standards and other requirements, such as licensure board rules. As an example of the possible variations, consider confidentiality in a situation in which the services involve two individuals directly exchanging confidential information. The ease with which Internet transmissions may be intercepted would be relevant, and use of encryption might be considered a sufficient action on the part of the psychologist to establish that confidential transmissions were protected."

Much of the extant literature pertaining to the Internet

within the field of psychology is descriptive in nature. The main focus of journal articles has been placed on the problems and technological limitations associated with the current Internet (e.g., Sampson et al., 1997; Allen & Kostenbader, 1995; Frisse et al., 1994) and projections about its eventual utility (e.g., Huang & Alessi, 1996; Sampson et al., 1997). The subject of the Internet as it is currently being employed has been given little attention.

In April 1996, Sampson, Kolodinsky, and Greeno (1997) sought to determine the prevalence of these resources on the Internet. Using the WebCrawler search engine they conducted a search of the word counseling. The results of this search showed the existence of 3,764 home pages containing that term. Further analysis of these pages showed that 45% of these sites pertained to psychological counseling and the rest were either not accessible or merely contained the word counseling somewhere in their text. Sampson et al. repeated this search in the same search engine only three months later and discovered that the number of home pages had grown to 4,584. That represents a 15% increase in three months. It is virtually impossible for both consumers and professionals to keep up with this rapid growth.

Regardless of this problem, the use of the Internet as a supplement to traditional methods of counseling is in many respects a worthwhile endeavor. If counseling is defined as "a learning process designed to help people learn more effective ways of coping with their emotional, social, and career problems" (Sampson & Krumboltz, 1991), then the use of the Internet as a means of disseminating information is valid.

The recent explosion of behavioral healthcare resources on the Net has left many consumers and professionals overwhelmed. The Quality of websites and lists is very uneven; no systematic mechanism exists to evaluate the utility of a given resource efficiently. Jacobson and Cohen (1997) have discussed the importance of teaching students to evaluate the quality of Internet sites. They argue that users of sites should consider all the dimensions of accuracy, comprehensiveness, currency, availability of hyperlinks, and the website's style and functionality.

DiBlassio, et al. (1998), and Doran, et al (1998) found inconsistencies in quality across different categories of psychological sites. The current study extended this earlier work and examined the differential quality of five categories of behavioral healthcare sites on the Internet: Parenting Problems (ADHD, Tourette's Syndrome, Common Discipline problems, Learning Disabilities, and Teenage Pregnancy), Health Problems (Eating Disorders, Chemical Dependency, HIV/AIDS, Migraine, and Smoking Cessation), Common Emotional Disorders (Anxiety Disorders, Depression, and Post Traumatic Stress Disorder), Severe Mental Illnesses (Schizophrenia, Bipolar Disorder, and Autism), and Personality Disorders (Borderline Personality Disorder and Antisocial Personality Disorder).

Method

Source and researchers

Evaluations were conducted on a total of 1,175 web sites addressing the needs of five different target populations with psychological or behavioral health-related problems, including those with Parenting Problems (ADHD, Tourette's syndrome, Common Discipline Problems, Learning Disabilities, and Teenage Pregnancy), Health Problems (Eating Disorders, Chemical Dependency, HIV, Migraine, and Smoking Cessation), Common Emotional Disorders (Anxiety Disorders, Depression, and Post Traumatic Stress Disorder), Severe Mental Illnesses (Schizophrenia, Bipolar Disorder, and Autism), and Personality Disorders (Borderline Personality Disorder and Antisocial Personality Disorder). The sites were chosen randomly from various common search engines on the Internet. Eleven trained undergraduate psychology majors from a small liberal arts college on the east coast completed the evaluations. After a period of training in the psychological problem areas (the bibliography includes a sampling of the literature used to familiarize students with the various problem areas), each rater evaluated roughly 75-100 sites, pertaining to one of the five categories.

Materials

Several computers linked to the Internet served as tools for access to the Internet. A standardized evaluation form assessing 6 separate dimensions was used to record the ratings for each site along with some demographic information. Evaluators were asked to rate how well each site provided the following: 1) clear and accurate information 2) "how-to" suggestions for change: practical exercises or recommendations 3) destigmatizing information; promotion of normalization 4) promotion of a sense of belonging; information or activities to help combat loneliness 5) referral mechanisms, if users found that additional help is needed and 6) a means of outcomes assessment; a feedback mechanism to assess the effectiveness of the site.

The 1175 web sites were evaluated on the 6 dimensions using a 5-point scale ranging from zero to four. A zero indicated absent information or service, one indicated extremely inadequate information or service, two indicated somewhat inadequate, three indicated somewhat adequate, and four indicated the presence of outstandingly high quality information or service. The sites were evaluated over a period of six weeks.

Results

One-way ANOVA on the summary scores (created by totaling all 6 measures of quality and dividing by 6) revealed significant differences in quality ratings across the five target categories ($p < .001$; $F = 28.824$; $df = 4, 1170$). On four of the assessment items, sites addressing the needs of parents consistently received higher ratings than other types of sites, and sites

targeting the "worried well" consistently received the least strong endorsements. Sites addressing health-related concerns received moderately high ratings on most of the items, while sites targeting the severely mentally ill were viewed as exemplary in providing feedback and referral mechanisms (relative to sites addressing other types of problems).

Additional ANOVA on the 6 separate quality items corroborated the general conclusions based on the summary measure findings (see Table 1). Across the items, site quality was consistently highest among those sites directed at an audience of concerned parents, and lowest when members of the target audience were interested in common psychological problems such as anxiety disorders and depression. The prevalence of commercial motivation affecting sites targeting the worried well seems to have compromised the quality of this category of sites. In comparison, the motivation behind many of the sites developed to assist parents seems more compassionate and less exploitative; the quality of information offered by these sites seemed to be less distorted by a marketing agenda.

Overall, the ratings suggested that the average quality of the current sites was somewhat disappointing. The mean rating across problem topics for all site dimensions was 2.09 on the 0-4 point scale where 0=absent, 1=extremely inadequate, 2=somewhat inadequate, 3=somewhat adequate, and 4=outstanding.

Discussion

Sites addressing the needs of parents in assisting their children with various behavioral problems were consistently rated more highly than those in all other categories. Development of high quality sites for parents may in part derive from high levels of empathy for those struggling to help their children. Most parents seem to be instinctively inclined to seek help for their children's; parents of those with problems are expected to go to great lengths to improve their children's well being. This contributes to a great demand for parenting information on the Internet. Apparently site developers have obliged, by creating a large number of reasonably high quality sites.

In contrast, interest in common emotional disorders (anxiety and depression) is probably more modest. As a result, fewer sites have addressed this category of concern to date. Furthermore, many of the sites targeting the "worried well" population of depressed and anxious individuals seem to have an obvious commercial agenda. Their promotion of particular books, programs, and services was perceived by raters as often corrupting the quality of service, because sites often presented biased, misleading information about specific treatment options without including an objective examination of equally efficacious alternatives. Other studies have reported similar concerns about the potential exploitation of those with common emotional disorders (Morse, et al., 1998; Doran, et al., 1998).

Although the information available on these sites varied considerably in terms of both quality and quantity, the Internet is still seen by these authors as providing many potential advantages for its users. Web sites provide information on prevalence, treatment, and detailed descriptions of symptoms characterizing specific disorders. Those suffering from various disorders easily find organized information in the privacy of their own homes. Web sites are generally used as a convenient starting point for research on particular problems. Often other Internet services, such as interactive lists are recommended as additional aides from these sites. Interactive lists provide patients with cutting edge information on treatments and current research on the disorder. In addition they are distributed globally, allowing many perspectives on the disorder to reach individuals (Allan & Kostenbader, 1995). Subscription to these lists is usually cost free and provides subscribers with the option of asking professionals questions on various issues.

Perhaps the most useful online services are the discussion groups for specific disorders. For example, through subscription to an on-line carrier, those suffering from Anxiety Disorders can receive support from their peers via computer. This service is especially helpful to those afflicted with Agoraphobia. The main symptom of this disease is a fear of being in any situation from which escape would be impossible in the event of panic attack. As a result, people who have agoraphobia are often unable to leave their home for weeks or months at a time, and seldom keep appointments with therapists. This inhibits their ability to seek treatment and support from others. On line support groups eliminate this fear while helping individuals to cope with their problems in a familiar environment.

The Internet also provides many general advantages when compared to traditional treatment methods. Embarrassment and cost of treatment are common obstacles for those individuals suffering from mental health disorders. Many people are fearful of others knowing that they suffer from what they consider to be odd symptoms. The confidentiality established through the use of a computer can greatly reduced this fear. Those individuals that are unable to receive treatment because of the high price of healthcare are also within reach of treatment, through the Internet. Many sites and groups provide information on low cost or free mental health care. In addition, the use of Internet provides access with minimal cost.

The Internet is a useful and accessible tool for providing mental health care; however, specific goals and standards for its use must be met. Managed care organizations are already investigating means for reducing costs through computerized-based medical education, and such forces will further encourage the development of networked information resources (Huang & Alessi, 1996). By anticipating the potential abuses of the Internet by the health care systems, professional associations must assure that the information highway helps rather than harms clients. Although it would be beneficial for clients to be as

knowledgeable about their disorder as their therapists, inaccurate and inappropriate information could be detrimental to the outcome of their treatment. The validity of data delivered via computer networks needs to be screened prior to patient and public exposure (Sampson, Kolodinsky & Greeno, 1997). Conversely, counselors need to be educated and trained in administering this treatment. With this advance in technology, in combination with expanding support groups and interactive lists, as well as professional therapist education and participation, cutting edge treatment for a variety of psychological problems may ultimately be accessed at the flip of a switch.

TABLE 1

		N	Mean	Std Deviation
Promote Belonging	Parenting	325	2.32	1.39
	Health	310	2.21	1.90
	Anxiety & Depression	207	1.43	1.43
	Severe Mental Illness	125	1.87	1.66
	Personality Disorder	208	1.41	1.59
	Total	1175	1.93	1.65
Feedback Mechanisms	Parenting	325	1.43	1.56
	Health	310	2.11	1.56
	Anxiety & Depression	207	1.08	1.18
	Severe Mental Illness	125	2.50	1.56
	Personality Disorder	208	1.68	1.68
	Total	1175	1.71	1.59
Practical Suggestions for Change	Parenting	325	2.37	1.39
	Health	310	2.18	1.59
	Anxiety & Depression	207	0.99	1.18
	Severe Mental Illness	125	1.27	1.53
	Personality Disorder	208	1.77	1.50
	Total	1175	1.85	1.53
Clear and Adequate Information	Parenting	325	3.11	1.08
	Health	310	3.09	1.21
	Anxiety & Depression	207	2.13	1.27
	Severe Mental Illness	125	2.91	1.33
	Personality Disorder	208	2.67	1.36
	Total	1175	2.83	1.28
Promote Normalization	Parenting	325	2.43	1.29
	Health	310	1.88	1.80
	Anxiety & Depression	207	1.52	1.28
	Severe Mental Illness	125	2.11	1.54
	Personality Disorder	208	1.60	1.53
	Total	1175	1.95	1.54
Referral Mechanisms	Parenting	325	2.44	1.50
	Health	310	2.37	1.55
	Anxiety & Depression	207	1.81	1.35
	Severe Mental Illness	125	2.88	1.38
	Personality Disorder	208	2.21	1.59
	Total	1175	2.32	1.52

ANOVA

		Sum of Squares	df	Mean Square	F	Sig.
Promote Belonging	Between Groups	180.816	4	45.204	17.452	.000
	Within Groups	3030.593	1170	2.590		
	Total	3211.409	1174			
Feedback Mechanisms	Between Groups	236.121	4	59.030	25.437	.000
	Within Groups	2715.168	1170	2.321		
	Total	2951.289	1174			
Practical Suggestions for Change	Between Groups	317.219	4	79.305	38.002	.000
	Within Groups	2441.603	1170	2.087		
	Total	2758.822	1174			
Clear and Adequate Information	Between Groups	154.249	4	38.562	25.649	.000
	Within Groups	1759.057	1170	1.503		
	Total	1913.306	1174			
Promote Normalization	Between Groups	144.011	4	36.003	15.886	.000
	Within Groups	2651.611	1170	2.266		
	Total	2795.622	1174			
Referral Mechanisms	Between Groups	101.789	4	25.447	11.414	.000
	Within Groups	2608.437	1170	2.229		
	Total	2710.226	1174			

Bibliography

Allan, R., & Kostenbader, P. Information on the Internet: how selective should we be?. Behavior Research Methods, Instruments, & Computers, 27, 198-199.

Alloy, L. B., Acocella, J., & Bootzin, R. (1996), Abnormal Psychology Current Perspectives. New York: McGraw-Hill Inc.

American Psychiatric Association. (1993a). Practice guidelines for eating disorders. American Journal of Psychiatry, 150, 212-228.

American Psychiatric Association. (1994). Diagnostic and Statistical Manual of Mental Disorders. Fourth Edition. Washington, DC.

American Psychiatric Association (1994). Attention-Deficit and Disruptive Behavior Disorders. Diagnostic and Statistical Manual of Mental Disorders, 78-85.

An Herbal Treatment for Migraines. (1997, November/December). Psychology Today, p.24.

Apgar, B., (1996). Use of Desipramine for Treatment of Adult ADHD. American Family Physician, 55, 306-306.

Azrin, N., & Peterson, A. (1992). An evaluation of behavioral treatments for Tourette's Syndrome. Behavior Research Therapy, 30, 167-174.

Baird, P., & Sights, J. R. (1986). Low self-esteem as a treatment issue in the psychotherapy of anorexia and bulimia. Journal of Counseling and Development, 64, 449-451.

Blanchard, E., Michultka, D., & Rosenblum, E. (1989). Stress management and Gilles de la Tourette's Syndrome. Biofeedback and Self Regulation, 14, 115-123.

Blondal, T., Gudmundsson, L. J., Olafsdottir, I., Gustavsson, G., & Westin, A. (1999). Nicotine nasal spray with nicotine patch for smoking cessation: Randomised trial with six year follow-up. British Medical Journal, 318, 285-289.

Bogensneieder, K., Small, S., & Tsay, J. (1997). Child, Parent, and Contextual Influences on Perceived Parenting Competence Among Parents of Adolescents. Journal of Marriage and the Family, 59, 345-362.

Brandt, N., Hermesh, H., Laufer, M., Munitz, H., & Ratzoni, G. (1988). Clomipramine Efficacy for Tics, Obsessions and Compulsions in Tourette's Syndrome and Obsessive-Compulsive: A Case Study. Biological Society, 27, 95-98.

Braus, P. (1992, September). Migraine Misery: Whose Head Hurts Most. American Demographics, 14, 25-26.

Brown, S. A., Gleghorn, A., Schuckit, M. A., Myers, M. G., Mott, M. A. et al. (1996). Conduct disorder among adolescent alcohol and drug abusers. Journal of Studies on Alcohol, 57, 314-324.

Brown, T., & Liebowitz, M. The Empirical Basis of Generalized Anxiety Disorder. American Journal of Psychiatry, 151(9), 1272-1280.

Bruun, R. D. (1994). Gilles de la Tourette's syndrome, an overview of clinical experience. *Journal of the American Academy of Child Psychiatry*, 23, 126-133.

Canals, J., Carbajo, G., Fernandez, J., Marti-Henneberg, C., & Domenech, E. (1996). Biopsychopathological risk profile of adolescents with eating disorder symptoms. *Adolescence*, 31, 443-451.

Carter, A. S., Cohen, D. J., Leckman, J. F., & Pauls, D. L. (1994). A prospective longitudinal study of Gilles de la Tourette's syndrome. *Journal of American Academy of Child and Adolescent Psychiatry*, 31, 462-467.

Cath, D., Roos, R., & Van de Wetering, B. (1992). Mental play in Gilles de la Tourette's syndrome and Obsessive-Compulsive Disorder. *British Journal of Psychiatry*, 161, 542-545.

Centers for Disease Control and Prevention. (1993). Cigarette-attributable mortality and years of potential life lost -United States, 1990. *Morbidity and Mortality Weekly Report*, 42, 645- 649.

Chambliss, C. (1996). Peer consultation on the net: The problem of ex-clients who stalk therapists. *Resources in education*. ERIC/CASS, ED393048.

Christen, A. G., & Christen, J. A. (1994). Why is cigarette smoking so addictive? An overview of smoking as a chemical and process addiction. *Health values: Health Behavior, Education, and Promotion*, 18, 17-24.

Cinciripini, P. M., Lapitsky, L. G., Wallfisch, A., Mace, R., Nezami, E. & Van Vunakis, H. (1994). An evaluation of a multicomponent treatment program involving scheduled smoking and relapse prevention procedures: Initial findings. *Addictive Behavior*, 19, 13- 22.

Cohen, D. J., & Leckman, J. F. (1994). Developmental psychopathology and neurology of Tourette's syndrome. *Journal of the American Academy of Child and Adolescent Psychiatry*, 33, 2-15.

Cole-Detke, H., & Kobak, R. (1996). Attachment processes in eating disorder and depression. *Journal of Consulting and Clinical Psychology*, 64, 282-291.

Coley, R. L., & Chase-Lansdale, P. L. (1998). Adolescent Pregnancy and Parenthood. *American Psychologist*, 53, 152-166.

Compas, B. E., Haaga, D. A., Keefe, F. J., Leitenberg, H., & Williams, D. A. (1998). Sampling of empirically supported psychological treatments from health psychology: Smoking, chronic pain, cancer, and bulimia nervosa. *Journal of Consulting and Clinical Psychology*, 66 (1), 89-112.

Compton, N., Duncan, & Hruska, J. (1986). *How Schools Can Help Combat Student Pregnancy*. Washington, D.C.: National Education Association.

Constantino, J. N., Morris, J. A., & Murphy, D. L. (1997). CSF 5-HIAA and family history of antisocial personality disorder in newborns. *American Journal of Psychiatry*, 154, 1771- 1773.

Davidson, J. R., Malik, M. L., & Sutherland, S. N. (1997). Response Characteristics to Antidepressants and Placebo in

Post-traumatic Stress Disorder. International Clinical Psychopharmacology, 12, 291-296.

Davis MD, L. L., Suris Ph.D., A., Lambert MD, M. T. et. al. (1997). Post-traumatic Stress Disorder and Serotonin: New Directions for Research and Treatment. Journal of Psychiatry and Neuroscience, 22, 318-326.

DiBlassio, J., Simonin, D., DeCarolus, A., Morse, L., Jean, J., Vassalotti, L., Franks, K., Chambliss, C. (1998) Educational Resources Available on the Internet: Assessing the Quality of Psychological Healthcare Sites. Perspectives in Mental Health Journal, December.

Dolan, B. (1991). Cross-cultural aspects of anorexia nervosa and bulimia: A review. International Journal of Eating Disorders, 10, 67-78.

Doran, M., Smith, A., Hoppel, A., Morse, L., Edwards, M., Hamilton, J., Simonin, D., Maloney, C., Underwood, M., O'Donnell, S., Wright, C., Chambliss, C. (1998) Informing Students About The Variable Quality of Psychological Internet Resources: Sites Targeting Substance Abuse Problems, Emotional Disorders, and the Needs of Parents. Resources in Education, ERIC/CASS.

Durand, V. M., Barlow, D. H. (1997). Abnormal psychology: An Introduction. Pacific Grove, California: Brooks/Cole.

Felker, K. R., & Stivers, C. (1994). The relationship of gender and family environment to eating disorder risk in adolescents. Adolescence, 29, 821-835.

Flynn, P. M., Craddock, S., Luckey, J. W., Hubbard, R. L., & Duntzman, G. H. (1996). Comorbidity of antisocial personality and mood disorders among psychoactive substance-dependent treatment clients. Journal of Personality Disorders, 10, 56- 67.

Frisse, M. E., Kelly, E. A., & Metcalfe, E. S. (1994). An internet primer: resources and responsibilities. Acad Med, 69, 20-24.

Garvey, MD, M. J., Tollefson, MD, PhD, G. D., & Schaffer, MD, C. B. (1984). Migraine Headaches and Depression. American Journal of Psychiatry, 141 (8), 986-988.

Gay Men's Health Crisis. (1998). Gay Men's Health Crisis Homepage. Internet URL: <http://www.gmhc.org/stopping/basics.htm#whatisaids> (version current at November, 1998).

George, M., Ring, H., Robertson, M., & Trimble, M. (1993). Obsessions in Obsessive- Compulsive Disorder with and without Gilles de la Tourette's Syndrome. American Journal of Psychiatry, 150(1), 93-97.

Goldstein, L. (1998, January/February). Headaches with a Family History. Psychology Today, p.14.

Gowen, J. W., Cristy, D. S., & Sparling, J. (1993). Informational Needs of Parents of Young Children with Special Needs. Journal of Early Intervention, 17, 194-210.

Greenlund, K. J., Liu, K., Dyer, A. R., Kieffe, C. I., Burke, G. L., & Yonis, C. (1996).

Body mass index in young adults: Associations in parental body size and education in the CARDIA study. American Journal of

Public Health, 86, 480- 485.

Gross, J., & Rosen, J. C. (1988). Bulimia in adolescents: Prevalence and psychosocial Correlates. *International Journal of Eating Disorders*, 7, 51-61.

Hancock, L. (1996). Mother's Little Helper. *Newsweek*, 51-56.

Herman, C., Flor, H., & Blanchard, E. B. (1997). Biofeedback Treatment for Pediatric Migraine: Prediction of Treatment Outcome. *Journal of Consulting and Clinical Psychology*, 65 (4), 611-616.

Himmelfarb, G. (1997). Revolution in the Library. *The Key Reporter*, 62(3), p.3.

Hines, A. (1997). Divorce-Related Transitions, Adolescent Development and the Role of the Parent-Child Relationship: A Review of the Literature. *Journal of Marriage and The Family*, 59, 375-388.

Holm, K. (1996, May). Making The Kids Pay. *Writers Digest*, 76(5), 48-55.

Huang, M., & Alessi, N. (1996). The Internet and the Future of Psychiatry. *American Journal of Psychiatry*, 153(7), 861-869.

Jacobson, T. E. & Cohen, L. B. (1997). Teaching Students to Evaluate Internet Sites. *The Teaching Professor*, 11, 7, 4.

Johnston, L. D., O'Malley, P. M., & Bachman, J. G. (1996). National survey results on drug use from the monitoring the future study, 1975-1995: Volume 1, Secondary school students. Washington, DC: U.S. Dept of Health and Human Services. NIH publication 96- 4139.

Joiner, G. W., & Kashubeck, S. (1996). Acculturation, body image, self-esteem, and eating-disorder symptomatology in adolescent Mexican American women. *Psychology of Women Quarterly*, 20, 419-435.

Jorenby, D. E. et. al (1999). A controlled trial of sustained-release bupropion, a nicotine patch, or both for smoking cessation. *New England Journal of Medicine*, 340, 685-691.

Kneedler, R. D. (1984), *Special Education for Today*. New Jersey: Prentice-Hall Inc.

Koran, L., Thienemann, M., & Davenport, R. The Quality of Life for Patients with Obsessive-Compulsive. *American Journal of psychiatry*, 153(6), 783-788.

Kraft, M. K., & Dickinson, J. E. (1997). Partnerships for improved service delivery: The Newark target cities project. *Health & Social Work*, 22, 143-148.

Kraut, R., Patterson, M., Landmark, V., Kiesler, S., Mukopadhyay, T., & Scherlis, W. (1998) Internet paradox: A social technology that reduces social involvement and psychological well-being? *American Psychologist*, 53, 9, 1017-1031.

Kruger, L. J., Cohen, S., Marca, D., & Matthews, L. (1996). Using the internet to extend training in team problem solving. *Behavior Research Methods, Instruments, & Computers*, 28, 248-252.

Lamm, MD, S. S. (1982), *Learning Disabilities Explained*. New York: Doubleday & Co. INC.

- Lauren, MA., J. (1997), *Succeeding with Learning Differences*. Minnesota: Free Spirit Publishing.
- Laws, A. & Golding, J. (1996). Sexual assault history and eating disorder symptoms among white, Hispanic, and African-American women and men. *The American Journal of Public Health*, 86, 579-583.
- Leavy, J. (1996). With Ritalin, the Son Also Rises. *Newsweek*, 59.
- Lerman, C., Caporaso, N. E., Audrain, J., Main, D., Bowman, E. D., Lockshin, B., Boyd, N. R. & Shields, P. G. (1999). Evidence suggesting the role of specific genetic factors in cigarette smoking. *Health Psychology*, 18, 14-20.
- Leutwyler, K. (1996). Paying Attention. *Scientific American*, 12-14.
- Lewis, S. F., Piasecki, T. M., Fiore, M. C., Anderson, J. E., & Baker, T. B. (1998). Transdermal nicotine replacement for the hospitalized patient: A randomized clinical trial. *Preventive Medicine*, 27, 296-303.
- Lonsdale, J. (1996), *The Hatherleigh Guide To Psychiatric Disorders*. New York: Hatherleigh Press.
- Marcus, M. B. (1997, April 7). Parent Lessons. *US News and World Reports*, 122, 13, 72.
- Marshall, R. M., Hynd, G. W., Handwerk, M. J., & Hall, J. H. (1997). Academic Underachievement in ADHD Subtypes. *Journal of Learning Disabilities*, 30, 635-642.
- McDevitt, T. M. (1996). Trends in Adolescent Fertility and Contraceptive Use in the Developing World. U.S. Bureau of the Census. Washington, D.C.: U.S. Government Printing Office.
- Mintz, L. B., & Betz, N. E. (1988). Prevalence and correlates of eating disorder behaviors among undergraduate women. *Journal of Counseling Psychology*, 35, 463-471.
- Morse, L, Doran, M., Simonin, D., Smith, A., Maloney, C., Wright, C., Underwood, M., Hoppel, A., O'Donnell, S., & Chambliss, C. Preferred Psychological Internet Resources for Addressing Anxiety Disorders, Parenting Problems, Eating Disorders, and Chemical Dependency, Resources in Education, ERIC/CASS, CG028198, 1998.
- Myers, M. G., Stewart, D. G., Brown, S. A. (1998). Progression from conduct disorder to antisocial personality disorder following treatment for adolescent substance abuse. *American Journal of Psychiatry*, 155, 479-485.
- Myers, P. N., Jr., & Biocca, T. A. (1992). The elastic body image: The effect of television advertising and programming on body image distortions of young women. *Journal of Communication*, 42, 108-133.
- National Center for Health Statistics. (1996). Teen Birth rates Drop for Third Straight Year -But Still at Record High. *Public Health Reports*, 111, 471-472.
- National Institute of Allergy and Infectious Diseases. (1998). National Institute of Allergy and Infectious Diseases Homepage. Internet URL: <http://www.niaid.nih.gov/factsheet/aidsstat.htm> (version current

at November, 1998).

National Institute on Drug Abuse. (1998). National Institute on Drug Abuse Research Report Series. Internet URL: <http://www.nida.nih.gov/research/reports/nicotine/nicotine2.html> (version current at March, 1999).

Nelson, K. et. al. (1996). Changes In Sexual Behavior and a Decline In HIV Infection Among Young Men In Thailand. *The New England Journal of Medicine*, 335, 297-303.

O'Brien, M. (1996). Child Rearing Difficulties Reported By Parents Of Infants and Toddlers. *Journal of Pediatric Psychology*, 433-446.

Ogata, S., Silk, K., Goodrich, S., Lohr, N., Westen, D., & Hill, E. (1990). Childhood Sexual and Physical Abuse in Borderline Patients. *American Journal of Psychiatry*, 147, 1008-1013.

Orr, T. (1994, December). The Hidden Parenting Market. *Writers Digest*, 74, 12, 41- 44.

Oullette, J. A., & Wood, W. (1998). Habit and intention in everyday life: The multiple processes by which past behavior predicts future behavior. *Psychological Bulletin*, 124 (1), 54-74.

Penick, E. C., Powell, B. J., Campbell, J., Liskow, B. I., et al. (1996). Pharmacological treatment for antisocial personality disorder alcoholics: a preliminary study. *Alcoholism: Clinical and Experimental Research*, 20, 477-484.

Price, J. H., Beach, P., Everett, S., Telljohann, S. K., & Lewis, L. (1998). Evaluation of a three- year urban elementary school tobacco prevention program. *Journal of School Health*, 68 (1), 26-31.

Reed, D. K., & Hresko, W. (1981), *A Cognitive Approach to Learning Disabilities*. New York: McGraw-Hill.

Robenstine, C. (1995). Providing HIV/AIDS Education for African American High School Students. *High School Journal*, 78.

Robinson, K. L., Price, J. H., Thompson, C. L., & Schmalzried, H. D. (1998). Rural Junior High School Students' Risk Factors For and Perceptions of Teenage Parenthood. *Journal of School Health*, 68, 334-339.

Rott, M. P. P. (1990). Disordered eating in women of color. *Sex Roles*, 22, 525-536.

Rosen, L. W., Shafer, C. L., Drummer, G. M., Cross, L. K., Deuman, G. W., & Malmberg, S. R. (1988). Prevalence of pathogenic weight-control behaviors among Native American women and girls. *International Journal of Eating Disorders*, 7, 807-811.

Sabol, S. Z. et. al. (1999). A genetic association for cigarette smoking behavior. *Health Psychology*, 18 (1), 7-13.

Sampson, J., Kolodinsky, R., & Greeno, B. (1997). Counseling on the Information Highway: Future Possibilities and Potential Problems. *Journal of Counseling and Development*, 75, 203-212.

Sampson, J. P. Jr., Krumboltz, J. D. (1991). Computer assisted instruction: A missing link in counseling. *Journal of Counseling and Development*, 69, 395-397.

Sanderson, A., & Jemmott III, J. (1996). Moderation and

Mediation of HIV-Prevention Interventions: Relationship Status, Intentions, and Condom Use Among College Students. *Journal of Applied Social Psychology*, 26.

Santrock, J. W. (1996). *Adolescence, An Introduction*, 6th Edition. Chicago: Brown & Benchmark.

Shapiro, D. E., Schulman, C. E. (1996). Ethical and legal issues in e-mail therapy. *Ethics and Behavior*, 6, 107-124.

Shapiro, E., & Shapiro, A. (May, 1989). Gilles de la Tourette's syndrome and tic disorders. *The Harvard Medical School Mental Health Letter*.

Shore, K. (1986), *The Special Education Handbook*. New York: Teacher's College Press.

Simanski, J. W. (1998). *The birds and Bees: An Analysis of Advice Given to Parents Through Popular Press*. *Adolescence*, 33, 33-45.

Smith, Ph.D., C., & Strick, L. (1997), *Learning Disabilities A to Z*. New York: The Free Press.

Snow, J. T., & Harris, M. B. (1989). Disordered eating in Southwest Pueblo Indians and Hispanics. *Journal of Adolescence*, 12, 329-336.

State Specific Birth Rates for Teenagers-United States, 1990-1996. (1997). *Journal of the American Medical Association*, 278, 1143-1144.

Steingard, R., & Stout, D. (1992). Tourette's syndrome and Obsessive-Compulsive Disorder. *Psychiatric Clinics of North America*, 15, 849-860.

Stice, E., Schupak-Neuberg, E., Shaw, H. E. & Stein, R. I. (1994). Relation of media exposure to eating disorder symptomatology; an examination of mediating mechanisms. *Journal of Abnormal Psychology*, 103, 836-841.

Striegel-Moore, R. H., Silberstein, L. R., & Rodin, J. (1986). Toward an understanding of risk factors for bulimia. *American Psychologist*, 41, 246-263.

Substance Abuse and Mental Health Services Administration. (1997). Preliminary results from the 1996 National Household Survey on Drug Abuse. SAMHSA.

U.S. Department of Health and Human Services. (1988). *The health consequences of smoking: Nicotine addiction. A report of the Surgeon General*. U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, Office on Smoking and Health. DHHS Publication No. (CDC) 88-8406.

U.S. Department of Health and Human Services. (1989). *Reducing the health consequences of smoking: 25 years of progress: A report of the surgeon general, 1989*. Atlanta: GA: Office on Smoking and Health, Centers for Disease Control and Prevention. DHHS Publication No. (CDC) 89-8411.

U.S. Department of Health and Human Services. (1994a). *Preventing tobacco use among young people: A report of the surgeon general*. Atlanta, GA: Office on Smoking and Health, National Center for Chronic Disease Prevention and Health Promotion, Centers for Disease Control and Prevention, Public Health Service, U.S. Dept of Health and Human Services.

U.S. Department of Health and Human Services. (1994b).
Surveillance for selected tobacco use behaviors- United States,
1990-1994. Morbidity and Mortality Weekly Report, 43 (SS-3):
1-33.

U.S. Department of Health and Human Services. (1996). Smoking cessation: clinical practice guideline No. 18. Rockville, MD: U.S. Department of Health and Human Services, Public Health Service, Agency for health Care Policy and Research. (AHCPR Publication No. 96-0692. U.S. Department of Health and Human Services. (1998). Tobacco use among high school students- United States, 1997. Morbidity and Mortality Weekly Report, 47, 229-233.

U.S. Environmental Protection Agency. (1993). Respiratory health effects of passive smoking: Lung cancer and other disorders. The report of the Environmental Protection Agency. U.S. Environmental Protection Agency, Office of Research and Development. (EPA/600/6-90/006F).

Vinovskis, M.A. (1988). An "Epidemic" of Adolescent Pregnancy. New York: Oxford University Press.

Wagner, BA, T. H., Patrick, PhD, MSPH, D. L., Galer, MD, B. S., & Berzon, DrPH, R.A. (1996). A New Instrument to Assess the Long-term Quality of Life Effects From Migraine: Development and Psychometric Testing of the MSQOL. Headache, 36 (8), 484-492.

Weaver, T. L., & Clum, G. A. (1993). Early Family Environments and Traumatic Experiences Associated with Borderline Personality Disorder. Journal of Consulting and Clinical Psychology, 61 (6), 1068-1075.

Wechsler, H., Rigotti, N. A., Gledhill-Hoyt, J., & Lee, H. (1998). Increased levels of cigarette use among college students: A cause for national concern. Journal of the American Medical Association, 280 (19), 1673-1678.

Wolpe, J. (1958), Psychotherapy by reciprocal inhibition. Stanford, CA: Stanford University Press.

Wymelenberg, S. (1990). Science and Babies, Private Decisions, Private Dilemmas. Washington, D.C.: National Academy Press.

Appendix A

The Explosion of Psychological Help on the Net Electronic Behavioral Healthcare

I. Information regarding treatment and research cutting edge, state of the art, expert information for consumers, breaking down the barriers between consumers and experts; NAMI

Opportunities for "passive" learning

- A. Web sites
- B. Listserv groups
- C. Electronic Journals

II. Interactive electronic treatment

Opportunities for "active" learning

- A. Support groups
- B. Expert-mediated groups

III. Referral to in vivo Psychotherapy

IV. Outcome Evaluation: Follow up mechanisms & tracking usage

- A. What is lost without face-to-face contact?
- B. What is lost without continuity of a real relationship?

V. Issues

- A. Privacy
- B. Accessibility
- C. Potential for abuse, exploitation

VI. Model of Ideal Electronic Resources

- A. Clear & accurate information
- B. How to-suggestions for change; practical exercises
- C. Destigmatizing information; promotion of normalization
- D. Promote sense of belonging; combat loneliness
- E. Referral mechanism-if additional help is needed
- F. Outcomes assessment; feedback mechanism

Appendix B

Original Evaluation Form

Rater _____

Resource _____

Evaluation of Electronic Helping Resources

Use the 5-point scale described below to evaluate the resource on each of the following dimensions.

0=absent

1=extremely inadequate

2=somewhat inadequate

3=somewhat adequate

4=outstanding

- _____ A. Clear & accurate information
- _____ B. How to-suggestions for change; practical exercises
- _____ C. Destigmatizing information; promotion of normalization
- _____ D. Promote sense of belonging; combat loneliness
- _____ E. Referral mechanism-if additional help is needed
- _____ F. Outcomes assessment; feedback mechanism

Appendix C

Revised Evaluation Form

Evaluation Sheet

Psych Help Resources (c)1998

Rater _____

Disorder _____

Site Name _____

Site _____

Address _____

Type of Site: General Disorder Class Specific Disorder
Specific Other

Site Motive: Informative Provide Help Commercial
Other

Use a four-point scale to evaluate the resource on each of the following dimensions.

- 0 Absent
- 1 Extremely Inadequate
- 2 Somewhat Inadequate
- 3 Somewhat Adequate
- 4 Outstanding

- _____ Clear and Adequate Information
- _____ Practical Suggestions for change
- _____ Destigmatizing Information; Promotion of Normalization
- _____ Promote sense of Belonging; Combat Loneliness
- _____ Referral Mechanisms
- _____ Outcomes Assessment; Feedback Mechanisms

Appendix D

Evaluation Descriptions

1. Type of Site: example: General = "mental health site", Disorder Class Specific = "chemical dependency", Disorder Specific = "alcoholism", Other = written explanation.
2. Site Motive: Informative = purely passing on information, Provide Help = suggestions for change, self- help, Commercial = goal to obtain profit, Other = written description.
3. Clear and Adequate Information = Page is well written and easy to follow, no apparent gaps in information.
4. Practical Suggestions for Change = How to's,
5. Destigmatizing information; Promotion of Normalization = Personal accounts, success stories, inspiration.
6. Promote sense of belonging, combat loneliness = chat lines, on-line support groups, and immediate access to others.
7. Referral Mechanisms = contacts to community groups, and other Internet sites (non-interactive) Non cyber referrals.
8. Outcomes Assessment; Feedback Mechanisms = counseling via the Internet only (e-mail or one on one chats with some one in a counseling position) Users access to information on own recovery rates.



U.S. Department of Education
Office of Educational Research and Improvement (OERI)
Educational Resources Information Center (ERIC)



REPRODUCTION RELEASE

(Specific Document)

I. DOCUMENT IDENTIFICATION:

Title: <i>The Internet: Plague or Panacea</i> <i>An evaluation of over 1000 behavioral healthcare sites</i>	
Author(s): <i>DeCarolis, Franks, Simonin, Romano, et al.</i>	
Corporate Source: <i>Ursinus College</i>	Publication Date:

II. REPRODUCTION RELEASE:

In order to disseminate as widely as possible timely and significant materials of interest to the educational community, documents announced in the monthly abstract journal of the ERIC system, *Resources in Education* (RIE), are usually made available to users in microfiche, reproduced paper copy, and electronic/optical media, and sold through the ERIC Document Reproduction Service (EDRS) or other ERIC vendors. Credit is given to the source of each document, and, if reproduction release is granted, one of the following notices is affixed to the document.

If permission is granted to reproduce and disseminate the identified document, please CHECK ONE of the following two options and sign at the bottom of the page.

The sample sticker shown below will be
affixed to all Level 1 documents



Check here
For Level 1 Release:
Permitting reproduction in
microfiche (4" x 6" film) or
other ERIC archival media
(e.g., electronic or optical)
and paper copy.

PERMISSION TO REPRODUCE AND
DISSEMINATE THIS MATERIAL
HAS BEEN GRANTED BY

Sample

TO THE EDUCATIONAL RESOURCES
INFORMATION CENTER (ERIC)

Level 1

The sample sticker shown below will be
affixed to all Level 2 documents



Check here
For Level 2 Release:
Permitting reproduction in
microfiche (4" x 6" film) or
other ERIC archival media
(e.g., electronic or optical),
but not in paper copy.

PERMISSION TO REPRODUCE AND
DISSEMINATE THIS
MATERIAL IN OTHER THAN PAPER
COPY HAS BEEN GRANTED BY

Sample

TO THE EDUCATIONAL RESOURCES
INFORMATION CENTER (ERIC)

Level 2

Documents will be processed as indicated provided reproduction quality permits. If permission to reproduce is granted, but neither box is checked, documents will be processed at Level 1.

"I hereby grant to the Educational Resources Information Center (ERIC) nonexclusive permission to reproduce and disseminate this document as indicated above. Reproduction from the ERIC microfiche or electronic/optical media by persons other than ERIC employees and its system contractors requires permission from the copyright holder. Exception is made for non-profit reproduction by libraries and other service agencies to satisfy information needs of educators in response to discrete inquiries."

Sign
here→
please

Signature

Catherine Chambliss

Printed Name/Position/Title:

Catherine Chambliss, Ph.D., Chair, Psychology

Organization/Address:

*Dept. of Psychology
Ursinus College
Collegeville, PA 19426*

Telephone:

(610) 409 3000

FAX:

(610) 489 0627

E-Mail Address:

cchambliss@

Date:

6/2/99



III. DOCUMENT AVAILABILITY INFORMATION (FROM NON-ERIC SOURCE):

If permission to reproduce is not granted to ERIC, or, if you wish ERIC to cite the availability of the document from another source, please provide the following information regarding the availability of the document. (ERIC will not announce a document unless it is publicly available, and a dependable source can be specified. Contributors should also be aware that ERIC selection criteria are significantly more stringent for documents that cannot be made available through EDRS.)

Publisher/Distributor:
Address:
Price:

IV. REFERRAL OF ERIC TO COPYRIGHT/REPRODUCTION RIGHTS HOLDER:

If the right to grant reproduction release is held by someone other than the addressee, please provide the appropriate name and address:

Name:
Address:

V. WHERE TO SEND THIS FORM:

Send this form to the following ERIC Clearinghouse:

However, if solicited by the ERIC Facility, or if making an unsolicited contribution to ERIC, return this form (and the document being contributed) to:

ERIC Processing and Reference Facility

1301 Piccard Drive, Suite 100
Rockville, Maryland 20850-4305

Telephone: 301-258-5500

FAX: 301-848-3695

Toll Free: 800-799-3742

e-mail: ericfac@inet.ed.gov